




Entrance door inspirations





BEL'M

Bel'M is a French manufacturer of residential entrance doors (aluminium, mixed, wood and steel). Our ambition is to provide a wide range of doors, combining comfort, aesthetic, security, thermal and acoustic performances. Bel'M offers a large choice of models in an innovation and design spirit, either contemporary or traditional. Many possibilities of customization, with more than 220 models according to your choice criteria: architecture of the building, budget, welcoming spirit of the entrance, material, colour, etc.

CONTEMPORARY ENTRANCE DOOR



TRADITIONAL ENTRANCE DOOR





FRENCH DESIGN AND MANUFACTURE

Elegance, authenticity and know-how characterize the Bel'M style. We have always been passionate about design and aesthetics, and we consider the entrance door as the first catch of a house. For these reasons, we work with passion, creativity, and with a high level of requirement in order to offer the French style and quality to our customers.

Bel'm style stands against the fashionable and the superficial. Bel'M design defies time, for lasting pleasure.

OUR ENTRANCE DOORS ARE ALL EXCLUSIVELY PRODUCED IN OUR FRENCH PLANTS, WITH A GREAT ATTENTION TO QUALITY.

PERFORMANCE: we bring our attention to all the details: thermal insulation, air-tightness, water-tightness, wind resistance, sound insulation, and environmental performance of the product throughout its whole life cycle.

SECURITY: our front doors are equipped with security system as standard. You can also choose an extra level of security and other options (anti-crow bar reinforcement, peephole, etc...).

CUSTOMISATION: most of our entrance doors are custom-made to suit the needs of remodeling projects and new projects.



BEL'M HISTORY



- 2013**
Creation of SWAO brand for doors and windows
- 2011**
Acquisitions of 2 windows manufacturing plants: Roncey and Saint-Macaire
- 2007** / New brand identity for Bel'M
Integration of ZILTEN brand
- 1999**
New range of product: mixed alu/wood
- 1997**
Acquisition of a plant in Roanne. Integration of CID brand
- 1995**
New range of product: Aluminium monobloc (Exclusive on french market)
- 1993**
New range of product: Steel monobloc (1st on French market)
- 1986**
Creation of Bel'M brand
- 1975**
Creation of Guilbaud 's carpenter at Machecoul

OUR VALUES

- **RESPECT:**
Take care of the other and respect everyones dignity
- **INTEGRITY:**
We say what we do and we do what we say
- **OPENNESS:**
Choose the openness towards others
- **TEAM SPIRIT:**
Develop team-building and value everyones work in the team
- **CUSTOMER FOCUS:**
Be listening to our customers

OUR POLICY

- **AN INDEPENDENT GROUP:**
Preserve the independence of our group with regard to stakeholders
- **EMPLOYEE'S DIGNITY:**
Ensure that each employee benefits from good working conditions
- **PROFIT SHARING:**
Share the profits of the company
- **GIVE SENSE TO OUR PERFORMANCE:**
Strengthen our business model by giving a meaning to the performance

OUR MODEL



A company striving for sustainable and responsible performance

ALUMINIUM ENTRANCE DOORS



OXYGENE
Ud = 0.95 W/(m².K)
Height: from 1900 to 2250 mm
Width: from 800 to 1200 mm

Sober stylish design for this entrance door that combines comfort by its large width and modernity by its stainless steel decorations.



ATHENA
Ud = 1.2 W/(m².K)
Height: from 1900 to 2250 mm
Width: from 800 to 1100 mm

Beautiful grill inserted into double glazing, this entrance door offers many dimensions, bending, transoms, fixed panels.

ALUMINIUM-contemporary style



ALINEA
 $U_d = 0.95 \text{ W/(m}^2\cdot\text{K)}$
 Height: from 1700 to 2250 mm
 Width: from 800 to 1000 mm



ZEN
 $U_d = 0.95 \text{ W/(m}^2\cdot\text{K)}$
 Height: from 1700 to 2350 mm
 Width: from 700 to 1100 mm



PHOSPHORE
 $U_d = 0.95 \text{ W/(m}^2\cdot\text{K)}$
 Height: from 1900 to 2250 mm
 Width: from 800 to 1200 mm

ALUMINIUM-traditionnal style



CALUSA
 $U_d = 1.3 \text{ W/(m}^2\cdot\text{K)}$
 Height: from 1900 to 2250 mm
 Width: from 800 to 1000 mm



GASPESIE
 $U_d = 1.3 \text{ W/(m}^2\cdot\text{K)}$
 Height: from 1900 to 2250 mm
 Width: from 800 to 1000 mm



ODYSSEE
 $U_d = 0.95 \text{ W/(m}^2\cdot\text{K)}$
 Height: from 1900 to 2250 mm
 Width: from 800 to 1000 mm



VIRGULE
 $U_d = 1.1 \text{ W/(m}^2\cdot\text{K)}$
 Height: from 1900 to 2250 mm
 Width: from 700 to 1000 mm



CHRYSTAL
 $U_d = 1.3 \text{ W/(m}^2\cdot\text{K)}$
 Height: from 1900 to 2250 mm
 Width: from 800 to 1200 mm



LOTUS
 $U_d = 1.5 \text{ W/(m}^2\cdot\text{K)}$
 Height: from 1900 to 2250 mm
 Width: from 800 to 1000 mm



NOE
 $U_d = 0.95 \text{ W/(m}^2\cdot\text{K)}$
 Height: from 1700 to 2350 mm
 Width: from 700 to 1100 mm




ISAAC
 $U_d = 1.2 \text{ W/(m}^2\cdot\text{K)}$
 Height: from 1700 to 2350 mm
 Width: from 700 to 1100 mm



ASTERIA
 $U_d = 1.2 \text{ W/(m}^2\cdot\text{K)}$
 Height: from 2000 to 2250 mm
 Width: from 800 to 1100 mm

OUR ENTRANCE DOORS IN ALUMINIUM

MONOBLOC CONCEPT



standard security
5 points locking system, high security



GARANTIE
10 ANS
ALU



ODYSSEE MODEL CUSTOMIZATION



COLOR CUSTOMIZATION

Interior and exterior

satin WHITE 9016	sanded WHITE 9016	satin GREY 7004	sanded GREY 2400	satin GREY 7030	sanded PEARL GREY 2800
sanded BRONZE	satin GREY 7039	satin BLUE 5003	sanded BLUE 2700	satin BLUE	satin GREEN 6021
satin GREEN 6005	satin RED 3004	sanded RUST 2100	sanded BROWN 2650	satin BROWN 3905	satin GREY 7016
sanded GREY 7016	sanded GREY 2900	sanded BLACK 2100	sanded BLACK 9005		

MIXED ALU / WOOD ENTRANCE DOORS




EXTERIOR ALU



ZEN MIXED

Ud = 0.97 W/(m².K)
Height: from 1900 to 2250 mm
Width: from 800 to 1100 mm

Zen door features simplicity and harmony.



EXTERIOR ALU



MONTREAL MIXED

Ud = 1.3 W/(m².K)
Height: from 1900 to 2250 mm
Width: from 800 to 1000 mm

Luminosity and elegance for this door made with glazing produced in the tradition of master glaziers.

MIXED contemporary-style



CHRYSAL MIXED
 Ud = 1.4 W/(m².K)
 Height: from 1900 mm to 2250 mm
 Width: from 800 mm to 1100 mm



VIRGULE MIXED
 Ud = 1.3 W/(m².K)
 Height: from 1900 mm to 2250 mm
 Width: from 800 mm to 1000 mm



ATHÉNA MIXED
 Ud = 1.2 W/(m².K)
 Height: from 1900 mm to 2250 mm
 Width: from 800 mm to 1000 mm




GASPÉSIE MIXED
 Ud = 1.3 W/(m².K)
 Height: from 1900 to 2250 mm
 Width: from 800 to 1000 mm



IDENTICAL INTERIORS
 WOOD ALINEA AND ZEN

ALINEA MIXED
 Ud = 0.97 W/(m².K)
 Height: from 1900 to 2250 mm
 Width: From 800 to 1100 mm

PHOSPHORE MIXED
 Ud = 0.97 W/(m².K)
 Height: from 1900 to 2250 mm
 Width: From 800 to 1100 mm



NOE MIXED
 Ud = 0.97 W/(m².K)
 Height: from 1900 to 2250 mm
 Width: from 800 to 1000 mm



FLAVIE MIXED
 Ud = 1.3 W/(m².K)
 Height: from 1700 to 2250 mm
 Width: from 700 to 1000 mm


MIXED classical-style

OUR ENTRANCE DOORS IN MIXED ALU/WOOD



COLOR CUSTOMIZATION

Interior




ARCHED DOOR SLAB CUSTOMISATION



Exterior



WOOD ENTRANCE DOORS



DOLCE
Ud = 1.4 W/(m².K)
Height: from 1900 mm to 2350 mm
Width: from 780 mm to 1000 mm

Dolce entrance door marries horizontal lines on a golden oak panel and a stainless steel triangular glazing frame.



MONTMARTRE + TRANSOMS
Ud = 1.4 W/(m².K)
Height: from 1800 to 2500 mm
Width: from 680 to 1000 mm

Often acclaimed for renovation, this entrance door offers many dimensions, bending, transoms, fixed panels.

WOOD contemporary-style



DOLCE
 Ud = 1.4 W/(m².K)
 Height: from 1900 to 2350 mm
 Width: from 780 to 1000 mm



CAPUCCINO
 Ud = 1.4 W/(m².K)
 Height: from 1800 to 2350 mm
 Width: from 680 to 1000 mm



EXPRESSO
 Ud = 1.1 W/(m².K)
 Height: from 1800 to 2350 mm
 Width: from 680 to 1000 mm

WOOD classical-style



MONTMARTRE
 Ud = 1.4 W/(m².K)
 Height: from 1800 to 2500 mm
 Width: from 680 to 1000 mm



EXEMPLE OF CUSTOM MADE CONFIGURATIONS – SEMI FIXED - SEMI CURVED TRANSOM



GOBI
 Ud = 1.1 W/(m².K)
 Height: from 2100 to 2150 mm
 Width: from 880 to 900 mm



MANOIR
 Ud = 1.2 W/(m².K)
 Height: from 2050 to 2150 mm
 Width: from 800 to 1000 mm



TURMEL
 Ud = 1.5 W/(m².K)
 Height: from 1900 to 2250 mm
 Width: from 730 to 1000 mm






AVORIAZ + SEMI FIXED
 Ud = 1.1 W/(m².K)
 Height: from 1600 to 2500 mm
 Width: from 580 to 1000 mm



CANNELLE
 Ud = 1.3 W/(m².K)
 Height: from 1800 to 2250 mm
 Width: from 790 to 1000 mm

OUR ENTRANCE DOORS IN WOOD



- 2  Monobloc 61 mm
- 3  Monobloc with wood boards

WOODEN DOORS: INFINITELY ADAPTABLE




COLOR CUSTOMIZATION

Interior



Exterior



STEEL ENTRANCE DOORS



COUGAR
Ud = 0.88 W/(m².K)
Height: from 1920 to 2150 mm
Width: from 700 to 1000 mm

Bel'M exclusive postformed decoration combined with a large pull bar for a stylish entrance door.



ARIZONA
Ud = 0.88 W/(m².K)
Height: from 1870 to 2150 mm
Width: from 730 to 1000 mm

All in the relief which perfectly reproduces the platband effect underlining the panel.

STEEL contemporary-style



PANTHERE
 Ud = 0.88 W/(m².K)
 Height: from 1700 to 2150 mm
 Width: from 710 to 1000 mm



CITY
 Ud = 1.2 W/(m².K)
 Height: from 1800 to 2150 mm
 Width: from 800 to 1000 mm



HEXAGONE
 Ud = 1.1 W/(m².K)
 Height: from 1880 to 2150 mm
 Width: from 800 to 1000 mm

STEEL classical-style



VICTORIA - GLAZING SEMI FIXED - SEMI FIXED PANEL
 Ud = 0.99 W/(m².K)
 Height: from 1900 to 2150 mm
 Width: from 760 to 1000 mm



DREAM
 Ud = 0.88 W/(m².K)
 Height: from 1700 to 2150 mm
 Width: from 800 to 1000 mm



IMPALA
 Ud = 1.2 W/(m².K)
 Height: from 1900 to 2150 mm
 Width: from 770 to 1000 mm



DELTA + SEMI FIXED
 Ud = 1.2 W/(m².K)
 Height: from 1880 to 2150 mm
 Width: from 800 to 1000 mm



LESLIE
 Ud = 0.88 W/(m².K)
 Height: from 1850 to 2150 mm
 Width: from 730 to 1000 mm




KALEA
 Ud = 1.2 W/(m².K)
 Height: from 1870 to 2150 mm
 Width: from 760 to 1000 mm



GALIANO
 Ud = 1.2 W/(m².K)
 Height: from 1850 to 2150 mm
 Width: from 760 to 1000 mm

OUR ENTRANCE DOORS IN STEEL



DOOR SLAB THICKNESS

Ud

MOULDING

SECURITY

68 mm	Ud = 0,78	Aluminium 	Automatic 5 points lock 2 hooks 2 rollers
48 mm	Ud = 0,88	PVC 	Standard cylinder Automatic multipoint lock



EQUATION + SEMI FIXED + TRANSOM

COLOR CUSTOMIZATION

Interior and exterior



ACCESSORIES

GLAZING



SILVER ANTELIO (DAY)



SILVER ANTELIO (NIGHT)



MASTER LINE



TRANSPARENT



"IMPRIME 200"



DELTA WHITE



FROSTED



THELA



DELTA MATT



POLAR



MASTER SQUARE



MILKY


HANDLES / HARDWARES*



*This offer of hardware is not exhaustive

ENVIRONMENT COMMITMENT

Bel'M is committed for the environment, with an approach of eco-design.



THE ENVIRONMENTAL LABEL

This is global approach which takes into account all the environmental aspects in the design of products, in order to reduce the impact through the whole life-cycle. The environmental scoring is calculated considering 8 indicators of environmental performance. Each indicator is scored on a scale from A (for the best) to G.



CRYSTAL ALUMINIUM DOOR



ALINEA MIXED WOOD / ALUMINIUM DOOR

Visit us on our web site
www.bel-m.com